

MULTI-PLATFORM INTEGRATED CONTROLLER (MIC) FOR MIDS-LVT/JTRS TERMINALS

The L3Harris MIC provides you with all of the control and monitoring functions for the MIDS-LVT and MIDS JTRS terminals. The easy-to-operate web interface allows for more extensive options, including remote operation of the terminal over an IP network.

MIDS-LVT(1) AND MIDS JTRS CONTROL AND MONITORING

- > Terminal Power (On/Off)
- > Crypto Hold (Standby)
- > LTTI
- > IFF Emergency
- > Fail Decode
- > Platform (IOIDENT) Configuration
- > 1553 Address (RTAD)
- > Crypto Zeroize

MIDS-LVT(2)/(11) CONTROL AND MONITORING

- > Terminal Power (On/Standby)
- > Blower Fail
- > Air Filter Alarm
- > Power Conditioner Fail
- > Platform (IOIDENT) Configuration
- > Crypto Zeroize

The MIC operates with the integrated AC ruggedized power supply, but also has the flexibility to work with a 9 to 36 VDC source.

The controller includes a standard crypto fill connector interface on the front panel, allowing you to seamlessly connect to the MIDS-LVT(1) and MIDS JTRS non-standard D38999 connectors.

The L3Harris Multi-Platform Audio Component (MAC) is also available for voice and speaker interface.



Use of U.S. DoD visual information does not imply or constitute DoD endorsement.

All-in-One Control and Monitoring

KEY FEATURES

- > Designed for TEMPEST Red/Black Separation
- > Standard RJ45 Host Interface Connection
- > Standard Crypto Fill Connector Interface

ACCESSORIES AND INTERFACE CABLES

- > W2: Link 16 Voice Interface
- > W3: MIDS Host Interface (including breakouts for 1553)
- > W4: Crypto Fill Cable
- > W6/W7: MIDS Discrete Control (includes 1PPS ETR breakout 10 V 50 ohm BNC)
- > Double Shielded Ethernet Cables (7 ft)
- > Rugged AC Power Supply (AC to 12 VDC)

SPECIFICATIONS

- > Input Power: 9 to 36 VDC
(115 to 240 VAC adapter included)
- > Dimensions: 8.5" (w) x 1.72" (w) x 11" (w)
- > Weight (Approximate): 5 lbs

PRODUCT DESCRIPTION

- > MIDS-LVT(1)/JTRS Multi-Platform Integrated Controller (MIC)
- > MIDS-LVT(2)/(11) Multi-Platform Integrated Controller (MIC)

Multi-Platform Integrated Controller (MIC) for MIDS-LVT/JTRS Terminals

© 2023 L3Harris Technologies, Inc. | 01/2022 | BCS | 23-DSD-293 | Rev-201

These item(s)/data have been reviewed in accordance with the International Traffic in Arms Regulations (ITAR), 22 CFR part 120.11, and the Export Administration Regulations (EAR), 15 CFR 734(3)(b)(3), and may be released without export restrictions.

L3Harris Technologies is an agile global aerospace and defense technology innovator, delivering end-to-end solutions that meet customers' mission-critical needs. The company provides advanced defense and commercial technologies across air, land, sea, space and cyber domains.

Use of U.S. DoD visual information does not imply or constitute DoD endorsement.



L3HARRIS®
FAST. FORWARD.

1025 W. NASA Boulevard
Melbourne, FL 32919
t 833 537 6837
CSW.Products@L3Harris.com