



**L3HARRIS®**  
FAST. FORWARD.

## XL PREMIUM 6-BAY CHARGER

### GENERAL

<b>Applications</b>	Charges Lithium Polymer and Lithium Ion batteries
<b>Dimensions (H x W x D)</b>	3.5 x 25.6 x 7.48 (88.9 x 650 x 190 mm)
<b>Weight</b>	8 lb maximum (3.63 kg)
<b>Operating Temperature</b>	+32 to +140°F (0 to +60°C)
<b>Charging Temperature</b>	+32 to +113°F (0 to +45°C)
<b>Color</b>	Black
<b>Voltage Source</b>	(Autoselect Switching Power Supply) 100 to 240 VAC, 50/60 Hz
<b>Charge Current</b>	1.5A for each charger, 1.5A per battery pack
<b>Power Consumption</b>	120 W
<b>Recharge Time</b>	Approximately 4 hours

### OPTION NUMBER

Portable	Charger Option
<b>XL Extreme™ 400P</b>	XF-CH6G
<b>XL Converge 200P</b>	XL-CH5A
<b>XL Converge 185P</b>	XS-CH5A
<b>XL Converge 150P</b>	XV-CH5A
<b>XL Connect 95P</b>	XN-CH5A
<b>XL Connect 45P</b>	XK-CH5A
<b>XG-75P</b>	EV-CH5A
<b>XG-25P</b>	DP-CH5Y
<b>XG-15P</b>	XR-CH5Y

### ENVIRONMENTAL SPECIFICATIONS

Standard	Parameter	Methods and Procedures
<b>MIL-STD-810G</b>	Low Temperature Operation	502.6 PI & II / Climate C1
	High Temperature Operation	501.6 PI & II / Climate A2
	Low Temperature Storage	502.6 PI
	High Temperature Storage	501.6 PI / Climate A1
	General Vibration	514.7 PI, CAT 4
	Shock	516.7 PI
	Transport at Altitude	500.6 PI
	Humidity	507.6 PII

### REGULATORY SPECIFICATIONS

<b>FCC Certification</b>	UL
<b>Industry Canada</b>	RoHS Compliant

Technical specifications are subject to change without notice. Product sales are subject to applicable U.S. export control laws.



The L3Harris XL Premium 6-Bay Charger is designed to charge Lithium Polymer and Lithium Ion batteries for the XL and XG Series portable radios listed in 4 hours or less. With its built-in LEDs for battery status, self-alignment guides to ensure charging, and physical health data support for each battery, this charger is a must-have for anyone with these radios.

The charger also offers many mounting options - it can be placed on a desk, flat surface, or mounted on a wall with the optional wall mount kit (14035-1810-03). The L3Harris XL Premium 6-Bay Charger weighs less than 8 pounds and includes a U.S. battery supply.

#### XL Premium 6-Bay Charger

© 2023 L3Harris Technologies, Inc. | 04/2023 SP085B

#### Non-Export Controlled Information

L3Harris Technologies is a Trusted Disruptor for the global aerospace and defense industry. With customers' mission-critical needs always in mind, our 46,000 employees deliver end-to-end technology solutions connecting the space, air, land, sea and cyber domains.



**L3HARRIS®**  
FAST. FORWARD.

1025 W. NASA Boulevard  
Melbourne, FL 32919